


# SUPER NOBELAIR Ø12,7X19 WD15 BL 50M

## Product Images



**SUPER NOBELAIR SOFT**

**Highly flexible hose for compressed air**  
 Features a low modulus PVC jacket and a special reinforcement.

**ADVANTAGES**

- Flexible hose
- High pressure resistance
- Long service life

**RECOMMENDED APPLICATIONS**

- Compressed air
- Vacuum suction
- Suction of liquids
- Suction of dust

**CONSTRUCTION**

• Jacket: PVC

• Reinforcement: Special reinforcement mesh

• End fittings: Various types of fittings

**TECHNICAL DATA**

Ø	Length	Weight	Pressure	Temp.	Material
12,7	50	1,5	10	-20 to +60	PVC
12,7	100	3,0	10	-20 to +60	PVC
12,7	150	4,5	10	-20 to +60	PVC
12,7	200	6,0	10	-20 to +60	PVC
12,7	250	7,5	10	-20 to +60	PVC
12,7	300	9,0	10	-20 to +60	PVC
12,7	350	10,5	10	-20 to +60	PVC
12,7	400	12,0	10	-20 to +60	PVC
12,7	450	13,5	10	-20 to +60	PVC
12,7	500	15,0	10	-20 to +60	PVC

## Omschrijving

---

Hoogwaardige 3 lagen TPE slang

Geschikt voor alle pneumatische toepassingen waar hoge souplesse vereist is

- UV en slijtvaste buitenwand
- Met polyester inlagen
- Zeer soepel en flexibel bij lage temperaturen

## Additional Information

---

EAN Code	8719426492734
Artikelnummer	SL.NOBELAIR13X19
Omschrijving	Super Nobelair 50 meter
Binnendiameter slang (mm)	12,7 mm
Buitendiameter slang (mm)	19 mm
Slang type	Lucht
Diameter	Ø12,7x19 mm
Kleur	Blauw
Lengte	50 meter
Materiaal	PVC